

600 liter tank in Acid-proof 316



76 000 SEK /st exkl moms

Additional information: Vessel welded in stainless steel 304 frame; 1 pump in the frame is included in the scope of delivery; slight build-up inside the vessel (probably limescale); Metallic discolouration inside

Volumetric volume (L): 600 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Internal diameter tank: 790 mm

Outer diameter tank: 900 mm

Cylinder height: 1.100 mm

Total height of tank: 2.200 mm

Total outer width: 1.250 mm

Total outer length: 1.200 mm

SKU: 568403

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Vessel welded in stainless steel 304 frame; 1 pump in the frame is included in the scope of delivery; brownish deposits inside the vessel; Metallic discolouration inside

Agitator: No

Overpressure: 6 bars

Complete Drainage: No, it is not.

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 600

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.100 mm

Internal diameter: 790 mm

Total Height: 2,200 mm

Outer diameter: 900 mm

Mer

Isolated: Yes