

6000 liter tank in Acid-proof 316



89 000 SEK /st exkl moms

Additional information: Chemistry; 4 support brackets, st. st.

Volumetric volume (L): 6.000 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 80

Agitator: yes

Number of revolutions: 35

Power: 7,50

Internal diameter tank: 2.000 mm

Cylinder height: 1.250 mm

Total height of tank: 4.450 mm

SKU: 435119

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: vacuum

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Chemistry; 4 support brackets, st. st.; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 6000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 1.250 mm

Internal diameter: 2,000 mm

Total Height: 4,450 mm

Stirrer

Power (kW): 7,50

Speed (RPM): 35



Mer

Isolated: No