

6000 liter tank in Acid-proof 316



339 000 SEK /st exkl moms

Additional information: Manhole DN 600; outlet with screwed-on fitting; no reference to the acceptance of the double jacket in the acceptance test report (a copy of drawing 1160246-1A or 1B contains the signed stamp "Tested in accordance with AD 2000 regulations by TÜV Süd"); parts of the blind screw connections possibly present

Volumetric volume (L): 6.000 L



Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 135 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 6 Bar

Max. working temperature: 135 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 187

Agitator: yes

Number of revolutions: 495

Top: 5,80 mm

Cylinder: 6 mm

Bottom: 6 mm

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.100 mm

Cylinder height: 1.400 mm

Total height of tank: 2.630 mm

SKU: 461925



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 135 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Manhole DN 600; Outlet with screwed fitting; No reference to the acceptance of the double jacket in the test report on the acceptance (in a copy of drawing 1160246-1A or 1B there is the

Additional Information2: stamp "Tested in accordance with AD 2000 regulations by TÜV Süd"); blind screw connections may be present; we cannot provide any guarantees regarding the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 6000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 1.400 mm
Internal diameter: 2,000 mm
Total Height: 2,630 mm
Outer diameter: 2.100 mm

Stirrer

Speed (RPM): 495

Tjocklek på tank

Bottom: 6 mm
Cylinder: 6 mm
Top: 5,80 mm

Mer

Isolated: Yes