


6000 liters tank in Stainless 304



170 000 SEK /st exkl moms

Additional information: chemistry; before tank stood on 4 tube feet made of mild steel , but there is only 1 of them still present; heating connections has been cracked or cut off (see pictures)

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN150

Agitator: yes

Power: 30

Cylinder: 10 mm

Internal diameter tank: 2.100 mm

Cylinder height: 1.500 mm

Total height of tank: 4.050 mm

SKU: 391265

Mer information



Product Description

Material: Stainless steel 304

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: chemistry; before tank stood on 4 tube feet made of mild steel , but there is only 1 of them still present; heating connections has been cracked or cut off (see pictures); we can't give any

Additional Information2: guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 6000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.500 mm

Internal diameter: 2.100 mm

Total Height: 4.050 mm

Stirrer

Power (kW): 30



Tjocklek på tank

Cylinder: 10 mm

Mer

Heat Exchanger: RVS 304

Isolated: No