

6000 liters tank in Stainless 304



88 000 SEK /st exkl moms

Additional information: chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discoloration inside the vessels

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 710

Power: 1,30

Cylinder: 3 mm

Bottom: 3 mm

Internal diameter tank: 1.580 mm

Cylinder height: 3.000 mm

Total height of tank: 4.200 mm

SKU: 451634

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discolouration inside the tanks; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 6000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 1.580 mm

Total Height: 4.200 mm

Stirrer

Power (kW): 1,30

Speed (RPM): 710

**Tjocklek på tank**

Bottom: 3 mm

Cylinder: 3 mm

Mer

Isolated: No