6000 liters tank in Stainless 304

57 000 SEK /st exkl moms

Additional information: fruit juice industry; manhole diameter appr. 470 mm in the upper bottom; rungs inside the tank (see pictures)
Volumetric volume (L): 6.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Outlet of tank: 50

Internal diameter tank: 1.990 mm
Cylinder height: 1.760 mm
Total height of tank: 3.150 mm
Empty weight tank: 800

SKU: 460322

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single-skin
Mobile Tank: No, it is not.
Övrig information: fruit juice industry; manhole diameter appr. 470 mm in the upper bottom; rungs inside the tank (see pictures)
Agitator: No
Complete Drainage: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 6000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: Yes
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1.760 mm
Internal diameter: 1,990 mm
Total Height: 3.150 mm

Mer

Isolated: No
Weight: 800

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor