

6000 liters tank in Stainless 304



83 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 6.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Shape of tank: cylindrical
Bottom type: strong conical
Total discharge: yes
Fixation points: 3 non adjustable feet
Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 304 (V2A)
Suitable for food industry: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Tank outlet: inside Ø 65 mm
Agitator: yes
Cylinder: 2,50 mm
Bottom: 3 mm

Distance from outlet to ground: 800 mm
Outer diameter tank: 1.990 mm
Cylinder height: 3.300 mm
Feet height: 1.380 mm
Total height of tank: 4.400 mm

Empty weight tank: 800

SKU: 428114

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: strong conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 6000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Tank Outlet: inside Ø 65 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304 (V2A)

Tank Dimensions

Cylinder Height: 3.300 mm

Height on legs: 1.380 mm

Outlet Height to Ground: 800 mm

Total Height: 4,400 mm

Outer diameter: 1,990 mm

**Tjocklek på tank**

Bottom: 3 mm

Cylinder: 2,50 mm

Mer

Isolated: No

Weight: 800