6000 liters tank in Stainless 304

168 000 SEK /st exkl moms

Additional information: Ice cream factory; Diameter manhole appr. 490 mm
Volumetric volume (L): 6.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated with heat-exchanger
Heat exchanger: yes
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: flange DN50
Agitator: yes
Number of revolutions: 35
Power: 2,20
Internal diameter tank: 1.750 mm

Outer diameter tank: 1.900 mm
Cylinder height: 2.250 mm
Total height of tank: 3.750 mm

SKU: 424835

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Ice cream factory; Diameter manhole appr. 490 mm; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 6000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,250 mm
Internal diameter: 1.750 mm
Total Height: 3.750 mm
Outer diameter: 1.900 mm

Stirrer

Power (kW): 2,20
Speed (RPM): 35

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer
Isolated: Yes