60000 liters tank in Stainless 304

394 000 SEK /st exkl moms

Additional information: food industry
Volumetric volume (L): 60.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: no

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Agitator: yes
Internal diameter tank: 3.700 mm
Outer diameter tank: 3.880 mm
Total height of tank: 9.200 mm

SKU: 485627

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: insulated
Mobile Tank: No, it is not.
Övrig information: food industry; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage: No, it is not.
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 60000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 3,700 mm
Total Height: 9.200 mm
Outer diameter: 3.880 mm

Mer

Isolated: Yes

Rodervägen 57
891 78 Bonässund
info@processoverskott.se