

60000 liters tank in Stainless 304



273 000 SEK /st exkl moms

Additional information: food industry; Container feet are spacers for the substructure/foundation. Small repairs on the inside

Volumetric volume (L): 60.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Agitator: yes

Internal diameter tank: 3.500 mm

Outer diameter tank: 3.610 mm

Cylinder height: 6.500 mm

Total height of tank: 7.200 mm

Empty weight tank: 6.000

SKU: 485660

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: food industry; tank feet are spacers for the substructure/foundation. Small repair areas inside; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 60000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 6.500 mm

Internal diameter: 3.500 mm

Total Height: 7.200 mm

Outer diameter: 3.610 mm

Mer

Isolated: Yes

Weight: 6.000

