60000 liters tank in Stainless 304

273 000 SEK /st exkl moms

Additional information: Container feet are spacers for the substructure/foundation
Volumetric volume (L): 60.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: available
Agitator: yes
Internal diameter tank: 3.500 mm
Cylinder height: 6.500 mm
Total height of tank: 7.200 mm

Empty weight tank: 6.000

SKU: 567629

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank:
Configuration: insulated
Mobile Tank: No, it is not.
Övrig information: Food; Container feet are spacers for the substructure/foundation; we can't give any guarantees about the agitator
Agitator: Yes
Complete Drainage:
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 60000

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 6.500 mm
Internal diameter: 3.500 mm
Total Height: 7.200 mm

Mer

Isolated: Yes
Weight: 6.000

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor