

60000 liters tank in Stainless 304



344 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Previous product was permeate (milk by-product)

Volumetric volume (L): 60.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: adjustable feet

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 420 mm

Tank outlet: inside Ø 80 mm

Agitator: no, optional

Distance from outlet to ground: 500 mm

Outer diameter tank: 3.150 mm

Cylinder height: 7.870 mm

Total height of tank: 10.250 mm

Empty weight tank: 3.000

SKU: 563455



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Previous product was permeate (milk by-product)

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 60000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 80 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 7.870 mm

Outlet Height to Ground: 500 mm

Total Height: 10.250 mm

Outer diameter: 3.150 mm

Mer

Isolated: No

Weight: 3.000