


6150 liters tank in Stainless 304



76 000 SEK /st exkl moms

Additional information: Pure water; Manhole DN 500; 1 stainless steel reinforcement ring around the outside of the cylinder; the loose stainless steel parts also on the pallet are not included in the scope of delivery (see photos); manhole cover plated; Metallic discolouration inside

Volumetric volume (L): 6.350 L

Pressure in tank: ATM - atmospheric



Max. temperature (°C): 90 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: 58

Internal diameter tank: 1.430 mm

Cylinder height: 3.500 mm

Total height of tank: 4.700 mm

SKU: 564292

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 90 °C

Mobile Tank: No, it is not.

Övrig information: Pure water; Manhole DN 500; 1 stainless steel reinforcement ring around the outside of the cylinder; the loose stainless steel parts also on the pallet are not included in the scope of delivery (see

Additional Information2: photos); manhole cover plated;Metallic discoloration inside

Agitator: No

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 6350

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 3.500 mm

Internal diameter: 1.430 mm

Total Height: 4,700 mm



Mer

Isolated: No