6200 liters tank in Stainless 304

105 000 SEK /st exkl moms

Additional information: Manhole dimensions (cylinder): approx. 420 x 320 mm; 2 Thermoplates in the cylinder area; clear outlet with connection (DN50 DIN 11851)
Volumetric volume (L): 6.200 L
Pressure in tank: pressure
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Max Overpressure: 6 Bar
Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.600 mm
Cylinder height: 2.976 mm
Total height of tank: 3.910 mm
Empty weight tank: 700

SKU: 490518

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: ATM – atmospheric
Configuration: single jacketed with heat-exchanger
Mobile Tank: No, it is not.
Övrig information: Manhole diameter (cylinder): approx. 420 x 320 mm
Agitator: No
Complete Drainage: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 6200

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2.976 mm
Internal diameter: 1.600 mm
Total Height: 3,910 mm

Mer

Isolated: No
Weight: 700

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor