

630 liter tank in Acid-proof 316



58 000 SEK /st exkl moms

Additional information: Pharmacy; Various standard drawings are available

Volumetric volume (L): 630 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 148 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 46 L

Max Overpressure: 3,50 Bar

Max. working temperature: 148 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN40 DIN 11851

Agitator: yes

Number of revolutions: 1.385

Power: 0,75

Internal diameter tank: 1.000 mm

Outer diameter tank: 1.150 mm

Cylinder height: 780 mm

Total height of tank: 2.500 mm

SKU: 487632



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 148 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Various standard drawings are available; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 630

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 780 mm

Internal diameter: 1.000 mm

Total Height: 2.500 mm

Outer diameter: 1.150 mm



Stirrer

Power (kW): 0,75

Speed (RPM): 1.385

Mer

Isolated: Yes