

652 liter tank in Stainless 304



30 000 SEK /st exkl moms

Volumetric volume (L): 652 L

Pressure in tank: pressure

Max. pressure (Bar): 1,50 Bar

Min. pressure (Bar): 1,50 Bar



Max. temperature (°C): 127,40 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN40 DIN 11851

Internal diameter tank: 894 mm

Cylinder height: 830 mm

Total height of tank: 1.800 mm

SKU: 571085

Mer information



Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Max. Service Temperature: 127,40 °C
Mobile Tank: No, it is not.
Övrig information: pharmacy
Agitator: No
Overpressure: 1,50 bar
Complete Drainage: Yes
Vacuum Pressure:
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 652

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 830 mm
Internal diameter: 894 mm
Total Height: 1.800 mm



Mer

Isolated: No