652 liter tank in Stainless 304

30 000 SEK /st exkl moms

Volumetric volume (L): 652 L
Pressure in tank: pressure
Max. pressure (Bar): 1,50 Bar
Min. pressure (Bar): 1,50 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Max. temperature (°C): 127,40 °C

Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no

Mobile tank: no
Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes

Flange for agitator: no
Outlet of tank: DN40 DIN 11851
Internal diameter tank: 894 mm
Cylinder height: 830 mm
Total height of tank: 1.800 mm

SKU: 571085

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Product Description

Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Max. Service Temperature: 127,40 °C
Mobile Tank: No, it is not.
Övrig information: pharmacy
Agitator: No
Overpressure: 1,50 bar
Complete Drainage: Yes
Vacuum Pressure:
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 652

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 830 mm
Internal diameter: 894 mm
Total Height: 1.800 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor