

660 liter tank in Acid-proof 316



114 000 SEK /st exkl moms

Additional information: According to the previous operator, the heating/cooling jacket of the vessel is no longer functional; further technical documents available

Volumetric volume (L): 660 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,50 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 140 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN25 DIN 11851

Agitator: yes

Number of revolutions: 710

Power: 2,20

Top: 5 mm

Cylinder: 4 mm

Bottom: 6 mm

Internal diameter tank: 790 mm

Outer diameter tank: 940 mm

Cylinder height: 1.000 mm

Total height of tank: 3.200 mm

SKU: 416624



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated

Max. Service Temperature: 140 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; According to the previous operator, the vessel's heating/cooling jacket is no longer functional; further technical documents available; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 660

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 1.000 mm
Internal diameter: 790 mm
Total Height: 3.200 mm
Outer diameter: 940 mm

Stirrer

Power (kW): 2,20
Speed (RPM): 710

Tjocklek på tank

Bottom: 6 mm
Cylinder: 4 mm
Top: 5 mm

Mer

Isolated: Yes