

663 liter tank in Syrafast 316



64 000 SEK /st exkl moms

Additional information: Pharmacy; Vessel hangs in tilting frame, Aisi 304 - no outlet in the lower bottom; hand hole diameter approx. 160 mm

Volumetric volume (L): 663 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 2 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 160 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: no

Volume: 48 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 160 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: non-existent

Agitator: yes

Number of revolutions: 93 - 457

Power: 2,60

Internal diameter tank: 980 mm

Outer diameter tank: 1.150 mm

Cylinder height: 580 mm

Total height of tank: 2.950 mm

Total outer width: 2.100 mm

Total outer length: 1.350 mm

SKU: 484583



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 160 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Vessel hangs in tilting frame, Aisi 304 – no outlet in the lower bottom; hand hole diameter approx. 160 mm; we can't give any guarantees about the heating/cooling jacket; we can't give any

Additional Information2: guarantees about the agitator

Agitator: Yes

Overpressure: 2 bars

Complete Drainage: No, it is not.

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 663

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Cylinder Height: 580 mm
Internal diameter: 980 mm
Total Height: 2,950 mm
Outer diameter: 1.150 mm

Stirrer

Power (kW): 2,60
Speed (RPM): 93 – 457

Mer

Isolated: Yes