

6700 liters tank in Stainless 304



71 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: Tank comes from the coffee industry, still residue from the previous product in the tank.; we can't give any guarantees about the agitator

Volumetric volume (L): 6.700 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851

Total outlet valve: no

Agitator: yes

Agitator type: propeller agitator

Position engine: at the top

Voltage: three-phase

Distance from outlet to ground: 250 mm

Outer diameter tank: 1.850 mm

Cylinder height: 2.540 mm

Total height of tank: 3.700 mm

Empty weight tank: 600

SKU: 489600



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Tank comes from the coffee industry, still residue from the previous product in the tank; we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 6700

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851

Outlet Valve: No, it is not.



Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 2,540 mm

Outlet Height to Ground: 250 mm

Total Height: 3,700 mm

Outer diameter: 1.850 mm

Stirrer

Motor Position: at the top

Agitator Type: propeller agitator

Voltage: three-phase

Mer

Isolated: No

Weight: 600