

67000 liters tank in Acid-proof 316



382 000 SEK /st exkl moms

Additional information: Solvents; Total height as per drawing (minor deviations possible); manhole cylinder NW 600

Volumetric volume (L): 67.000 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 100

Top: 6 mm

Cylinder: 5 mm

Bottom: 9 mm

Internal diameter tank: 3.000 mm

Cylinder height: 8.870 mm

Total height of tank: 11.100 mm

SKU: 475393

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Solvents; Total height as per drawing (small deviation possible); manhole cylinder NW 600

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 67000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 8,870 mm

Internal diameter: 3,000 mm

Total Height: 11.100 mm

**Tjocklek på tank**

Bottom: 9mm

Cylinder: 5 mm

Top: 6 mm

Mer

Isolated: No