

6800 liter tank in Acid-proof 316



89 000 SEK /st exkl moms

Additional information: Chemistry; Manufactured according to DIN 6618; manhole diameter 600 mm; 1 pipe inside the tanks

Volumetric volume (L): 6.800 L

Pressure in tank: pressure

Max. pressure (Bar): 0,50 Bar



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 0,50 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: flange DN50

Internal diameter tank: 1.590 mm

Cylinder height: 3.000 mm

Total height of tank: 4.300 mm

SKU: 415841

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Chemistry; Manufactured according to DIN 6618; manhole diameter 600 mm; 1 pipe inside the tanks

Agitator: No

Overpressure: 0,50 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 6800

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 3,000 mm

Internal diameter: 1.590 mm

Total Height: 4.300 mm

Mer

Isolated: No

