

## 700 liter tank in Acid-proof 316



94 000 SEK /st exkl moms

**Additional information:** Pharmacy; Foot frame, stainless steel; manhole diameter 410 mm; Outlet fitting incomplete

**Volumetric volume (L):** 700 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,30 Bar



**Max. temperature (°C):** 90 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Max Overpressure:** 3 Bar

**Max. working temperature:** 143 °C

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Number of revolutions:** 127 / 261

**Power:** 0.66 / 1.3

**Internal diameter tank:** 1.050 mm

**Outer diameter tank:** 1.190 mm

**Total height of tank:** 1.600 mm

**SKU:** 422819



## Mer information

### Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 90 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; Foot frame, stainless steel; manhole diameter 410 mm; Outlet fitting incomplete; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the

Additional Information2: agitator

Agitator: Yes

Overpressure: 0,30 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 700

### Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

### Material Overview

Material: Acid-resistant 316

### Tank Dimensions

Internal diameter: 1.050 mm

Total Height: 1.600 mm

Outer diameter: 1,190 mm



## **Stirrer**

Power (kW): 0.66 / 1.3

Speed (RPM): 127 / 261

## **Mer**

Isolated: Yes