

7000 liter tank in Stainless 304



196 000 SEK /st exkl moms

Additional information: including loose base frame (see pictures)

Volumetric volume (L): 7.000 L

Pressure in tank: pressure

Max. temperature (°C): 50 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 150 L

Max Overpressure: 3 Bar

Max. working temperature: 90 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Number of revolutions: 11

Power: 11

Internal diameter tank: 1.920 mm

Cylinder height: 2.250 mm

Total height of tank: 3.700 mm

Empty weight tank: 2.850

SKU: 568214



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Food; including loose base frame (see pictures); we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 7000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 2,250 mm

Internal diameter: 1,920 mm

Total Height: 3,700 mm



Stirrer

Power (kW): 11

Speed (RPM): 11

Mer

Isolated: Yes

Weight: 2.850