

## 7040 liter tank in Acid-proof 316



277 000 SEK /st exkl moms

**Additional information:** Saline solution; Slight metallic discoloration inside; The production and documentation drawings are available from the manufacturer and can be purchased separately from there; some residues of previous content; bump at the insulation jacket; pipe end cut flush

**Volumetric volume (L):** 7.040 L

**Pressure in tank:** pressure and vacuum



**Max. pressure (Bar):** 2,50 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 140 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated with heat-exchanger

**Heat exchanger:** yes

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 176 L

**Max Overpressure:** 2 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 140 °C

**Type HE on the bottom:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 38

**Internal diameter tank:** 1.880 mm

**Outer diameter tank:** 2.100 mm

**Cylinder height:** 2.000 mm

**Total height of tank:** 3.700 mm

**Empty weight tank:** 1.120

**SKU:** 402887



## Mer information

### Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 140 °C

Mobile Tank: No, it is not.

Övrig information: Saline solution; Slight metallic discoloration inside; The production and documentation drawings are available from the manufacturer and can be purchased separately from there; some residues of

Additional Information2: previous content; bump at the insulation jacket; pipe end cut flush; we can't give any guarantees about the heating/cooling jacket

Agitator: No

Overpressure: 2,50 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 7040

### Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

### Material Overview

Material: Acid-resistant 316



## **Tank Dimensions**

Cylinder Height: 2,000 mm  
Internal diameter: 1.880 mm  
Total Height: 3,700 mm  
Outer diameter: 2.100 mm

## **Mer**

Isolated: Yes  
Weight: 1.120