

## 750 liter tank in 304 stainless steel



49 000 SEK /st exkl moms

**Additional information:** Food industry; Inner vessel in "funnel shape"; manhole diameter approx. 410 mm; vessel screwed onto 3 load cells each in a 4-legged frame

**Volumetric volume (L):** 750 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,05 Bar



**Min. pressure (Bar):** 0,05 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 30 L

**Max Overpressure:** 1,50 Bar

**Max. working temperature:** 95 °C

**Type HE on the bottom:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN65 DIN 11851

**Outer diameter tank:** 1.380 mm

**Total height of tank:** 2.050 mm

**Total outer width:** 1.560 mm

**Total outer length:** 1.450 mm

**Empty weight tank:** 1.000

**SKU:** 424712



## Mer information

### Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: insulated with heat-exchanger

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: Food industry; Inner tank in "funnel shape"; manhole diameter approx. 410 mm; tank screwed onto 3 load cells each in a 4-legged frame; we can't give any guarantees about the heating/cooling jacket

Additional Information2: jacket

Agitator: No

Overpressure: 0,05 bar

Complete Drainage: Yes

Vacuum Pressure: 0,05 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 750

### Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

### Material Overview

Material: Stainless steel 304

### Tank Dimensions

Total Height: 2,050 mm

Outer diameter: 1.380 mm

## Mer

Isolated: Yes

Weight: 1.000

---