

7500 liter tank in Stainless 304



86 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 7.500 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304L (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Shape of tank: cylindrical

Wall type: dished

Total discharge: no

Fixation points: 2 non adjustable feet

Manway(s): RVS 304L

Gasket manway(s): unknown

Fixation point(s): RVS 304L

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: cylinder

Height manhole 1 (mm): 395 mm

Tank outlet: inside Ø 50 mm

Agitator: no, optional

Top: 4 mm

Cylinder: 4 mm

Bottom: 4 mm

Distance from outlet to ground: 300 mm

Outer diameter tank: 1.400 mm

Cylinder height: 5.000 mm

Total height of tank: 2.120 mm

Total outer length: 5.500 mm

Empty weight tank: 900

SKU: 430610



Mer information

Product Description

Material: Stainless steel 304

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Agitator: No

Tank Shape: cylindrical

Complete Drainage: No, it is not.

Heating / Cooling: No

Contact Surface: SS AISI 304L (V2A)

Volume in liters: 7500

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304L



Tank Dimensions

Cylinder Height: 5,000 mm

Outlet Height to Ground: 300 mm

Total Height: 2.120 mm

Outer diameter: 1.400 mm

Tjocklek på tank

Bottom: 4 mm

Cylinder: 4 mm

Top: 4 mm

Mer

Isolated: No

Weight: 900