

80 liter tank in Acid-proof 316



89 000 SEK /st exkl moms

Additional information: Pharmacy; 1 screwed fitting enlarges the actual outlet from DN 20 to DN 50 DIN 11851 (see photos)

Volumetric volume (L): 80 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar



Max. temperature (°C): 150 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 20 L

Max Overpressure: 2 Bar

Max. working temperature: 150 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN20 DIN 11851

Agitator: yes

Number of revolutions: 310 - 1865

Power: 1,35

Internal diameter tank: 490 mm

Outer diameter tank: 540 mm

Total height of tank: 1.800 mm

SKU: 482044



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 150 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 1 screwed fitting enlarges the actual outlet from DN 20 to DN 50

DIN 11851 (see photos); we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 80

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316



Tank Dimensions

Internal diameter: 490 mm

Total Height: 1.800 mm

Outer diameter: 540 mm

Stirrer

Power (kW): 1,35

Speed (RPM): 310 – 1865

Mer

Heat Exchanger: RVS 304

Isolated: No