800 liter tank in 304 stainless steel

14 000 SEK /st exkl moms

Article type: second-hand transport tank
Additional information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates.
Volumetric volume (L): 800 L
Pressure in tank: pressure
Max. pressure (Bar): 1 Bar

Min. pressure (Bar): -0,15 Bar
Max. temperature (°C): 130 °C
Min. temperature (°C): -10 °C
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Top type: dished

Shape of tank: cylindrical
Bottom type: conical
Total discharge: yes
Fixation points: 4 stackable frame
Manway(s): RVS 304

Fixation point(s): RVS 304
Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Number of manways: 1
Position of manway: at the top
Height manhole 1 (mm): 400 mm
Tank outlet: inside Ø 50 mm

Outlet type: DIN11851
Total outlet valve: yes
Distance from outlet to ground: 200 mm
Outer diameter tank: 1.030 mm
Cylinder height: 860 mm

Total height of tank: 1.530 mm
Empty weight tank: 180

SKU: 569825

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Max. Service Temperature: 130 °C
Min. Operating Temperature: -10 °C
Mobile Tank: No, it is not.
Övrig information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates.
Agitator: No
Overpressure: 1 bar
Tank Shape: cylindrical
Complete Drainage:
Bottom Type: conical
Vacuum Pressure: -0,15 Bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 800

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 860 mm
Outlet Height to Ground: 200 mm
Total Height: 1,530 mm
Outer diameter: 1,030 mm

Mer

Isolated: No
Weight: 180

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor