

800 liter tank in 304 stainless steel



16 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates.

Volumetric volume (L): 800 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Min. pressure (Bar): -0,15 Bar

Max. temperature (°C): 50 °C

Min. temperature (°C): 5 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851

Total outlet valve: yes

Distance from outlet to ground: 200 mm

Outer diameter tank: 1.030 mm

Cylinder height: 880 mm

Total height of tank: 1.560 mm

Empty weight tank: 117

SKU: 570005



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 50 °C

Min. Operating Temperature: 5 °C

Mobile Tank: No, it is not.

Övrig information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates.

Agitator: No

Overpressure: 1 bar

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Vacuum Pressure: -0,15 Bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 800

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Food-grade: Yes

Tank Outlet: inside Ø 50 mm

Technical Drawing Available: No, it is not.

Outlet Type: DIN11851

Outlet Valve: Yes



Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 880 mm

Outlet Height to Ground: 200 mm

Total Height: 1,560 mm

Outer diameter: 1,030 mm

Mer

Isolated: No

Weight: 117