

800 liter tank in 304 stainless steel



16 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates, bayonet manhole closure.

Volumetric volume (L): 800 L

Pressure in tank: pressure

Design pressure (Bar): 1,43 Bar

Max. pressure (Bar): 1 Bar

Min. pressure (Bar): -0,15 Bar

Max. temperature (°C): 130 °C

Min. temperature (°C): -10 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: dished

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 400 mm

Tank outlet: inside Ø 50 mm

Outlet type: DIN11851

Total outlet valve: yes

Distance from outlet to ground: 200 mm

Outer diameter tank: 1.030 mm

Cylinder height: 860 mm

Total height of tank: 1.530 mm

Empty weight tank: 124

SKU: 570050



Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Tank design pressure: 1.43 bar

Configuration: single-skin

Max. Service Temperature: 130 °C

Min. Operating Temperature: -10 °C

Mobile Tank: No, it is not.

Övrig information: The tanks have some dents; look closely at the photos; used for various egg products. Not all tanks have nameplates, bayonet manhole closure.

Agitator: No

Overpressure: 1 bar

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: conical

Vacuum Pressure: -0,15 Bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 800



Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: No, it is not.
Food-grade: Yes
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: No, it is not.
Outlet Type: DIN11851
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 860 mm
Outlet Height to Ground: 200 mm
Total Height: 1,530 mm
Outer diameter: 1,030 mm

Mer

Isolated: No
Weight: 124