

800 liter tank in 304 stainless steel



17 000 SEK /st exkl moms

Additional information: Mustard produktion; Diameter manhole appr. 390 mm; some residues of previous content; traces of usage

Volumetric volume (L): 800 L

Pressure in tank: pressure

Max. pressure (Bar): 1,40 Bar



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 990 mm

Cylinder height: 800 mm

Total height of tank: 1.750 mm

SKU: 428675

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: Mustard production; Diameter manhole appr. 390 mm; some residues of previous content; traces of usage

Agitator: No

Overpressure: 1,40 bar

Complete Drainage: Yes

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 800

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 800 mm

Internal diameter: 990 mm

Total Height: 1.750 mm

Mer

Isolated: No

