

800 liter tank in 304 stainless steel



19 000 SEK /st exkl moms

Article type: second-hand transport tank

Volumetric volume (L): 800 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: dished

Shape of tank: cylindrical

Bottom type: strong conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Gasket manway(s): unknown

Valve: RVS 304

Gasket shut-off valve (mat): unknown

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 385 mm

Tank outlet: inside Ø 50 mm

Total outlet valve: yes

Agitator: no, optional

Distance from outlet to ground: 280 mm

Outer diameter tank: 998 mm

Cylinder height: 960 mm

Total height of tank: 1.760 mm

Empty weight tank: 180

SKU: 485588



Mer information

Product Description

Food-grade: Yes
Material: Stainless steel 304
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure
Configuration: single-skin
Mobile Tank: No, it is not.
Agitator: No
Overpressure: 1 bar
Tank Shape: cylindrical
Complete Drainage: Yes
Bottom Type: strong conical
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 304 (V2A)
Volume in liters: 800

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Food-grade: Yes
Tank Outlet: inside Ø 50 mm
Technical Drawing Available: No, it is not.
Outlet Valve: Yes

Material Overview

Material: Stainless steel 304
Fixing point(s): RVS 304



Tank Dimensions

Cylinder Height: 960 mm

Outlet Height to Ground: 280 mm

Total Height: 1.760 mm

Outer diameter: 998 mm

Mer

Isolated: No

Weight: 180