

800 liter tank in 304 stainless steel



15 000 SEK /st exkl moms

Additional information: food industry; Minor dents and slight adhesions possible; manhole is fastened with clamping ring; various connection designs in the Oder floor; some residues of previous content; traces of usage

Volumetric volume (L): 800 L

Pressure in tank: ATM - atmospheric



Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.000 mm

Cylinder height: 700 mm

Total height of tank: 1.590 mm

Empty weight tank: 125

SKU: 459779

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure

Configuration: single-skin

Max. Service Temperature: 120 °C

Mobile Tank: No, it is not.

Övrig information: food industry; minor dents and slight adhesions possible; Manhole is fastened with a clamping ring; various connection designs in the upper bottom; some residues of previous content; traces of usage

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 800

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 700 mm

Internal diameter: 1.000 mm

Total Height: 1.590 mm



Mer

Isolated: No

Weight: 118
