

800 liter tank in 304 stainless steel



52 000 SEK /st exkl moms

Additional information: Pharmacy; 4-legged frame, Aisi 304; tank lid with folding segment (slightly warped; therefore not currently screwed)

Volumetric volume (L): 800 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 99 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Top type: open

Total discharge: yes

Volume: 51 L

Max Overpressure: 3 Bar

Max. working temperature: 143 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 990 mm

Outer diameter tank: 1.090 mm

Cylinder height: 750 mm

Total height of tank: 1.620 mm

Empty weight tank: 650

SKU: 483468



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Max. Service Temperature: 99 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; 4-legged frame, Aisi 304; tank lid with folding segment (slightly warped; therefore not currently screwed); we can't give any guarantees about the heating/cooling jacket

Agitator: No

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 800

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 750 mm

Internal diameter: 990 mm

Total Height: 1,620 mm

Outer diameter: 1,090 mm



Mer

Isolated: Yes

Weight: 650
