

8000 liter tank in 304 stainless steel



101 000 SEK /st exkl moms

Additional information: 3 stainless steel 304 claws; some residues of previous content

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN100

Agitator: yes

Number of revolutions: 61

Power: 22

Top: 8 mm

Cylinder: 6 mm

Bottom: 6 mm

Internal diameter tank: 2.100 mm

Cylinder height: 2.500 mm

Total height of tank: 5.500 mm



SKU: 392825

Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: 3 support brackets, Aisi 304; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 8000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 2.500 mm
Internal diameter: 2.100 mm
Total Height: 5.500 mm

Stirrer

Power (kW): 22
Speed (RPM): 61

Tjocklek på tank

Bottom: 6 mm
Cylinder: 6 mm
Top: 8 mm

Mer

Isolated: No