

8000 liter tank in 304 stainless steel



83 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: we can't give any guarantees about the agitator

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Shape of tank: cylindrical
Bottom type: strong conical
Total discharge: yes
Fixation points: 4 non adjustable feet
Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 304 (V2A)
Suitable for food industry: no
Documents included: no
Technical drawing included: no
Registration plate on the tank: no

Flange for agitator: no
Tank outlet: inside Ø 80 mm
Agitator: yes
Position engine: at the top
Power: 5,50

Voltage: three-phase
Distance from outlet to ground: 1.200 mm
Outer diameter tank: 2.000 mm
Cylinder height: 2.470 mm
Total height of tank: 6.000 mm

SKU: 442802

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank:

Configuration: single-skin

Mobile Tank: No, it is not.

Övrig information: we can't give any guarantees about the agitator

Agitator: Yes

Tank Shape: cylindrical

Complete Drainage:

Bottom Type: strong conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 8000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Tank Outlet: inside Ø 80 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Material vätskeberörd del på omrörare: SS AISI 304 (V2A)

Tank Dimensions

Cylinder Height: 2,470 mm

Outlet Height to Ground: 1.200 mm

Total Height: 6,000 mm

Outer diameter: 2,000 mm



Stirrer

Power (kW): 5,50

Motor Position: at the top

Voltage: three-phase

Mer

Isolated: No