

8000 liter tank in 304 stainless steel



85 000 SEK /st exkl moms

Additional information: Dairy; 1 Manhole diameter appr. 500 mm in the front bottom

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN65 DIN 11851

Agitator: yes

Number of revolutions: 720

Power: 0,37

Internal diameter tank: 1.900 mm

Outer diameter tank: 2.010 mm

Total height of tank: 2.950 mm

Total outer length: 3.500 mm

SKU: 419003

Mer information



Product Description

Material: Stainless steel 304

Model: Horizontal

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Övrig information: Dairy; 1 Manhole diameter appr. 500 mm in the front bottom; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 8000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Internal diameter: 1.900 mm

Total Height: 2,950 mm

Outer diameter: 2.010 mm

Stirrer

Power (kW): 0,37

Speed (RPM): 720

Mer

Isolated: Yes