

8000 liter tank in 304 stainless steel



128 000 SEK /st exkl moms

Additional information: chemistry; 1 vessel with dent in the cylinder and in the fan cover of the agitator motor; some residues of previous content

Volumetric volume (L): 8.000 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 100 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN50

Agitator: yes

Number of revolutions: 45 / 90

Power: 9.9 / 16

Cylinder: 5 mm

Bottom: 5 mm

Internal diameter tank: 1.658 mm

Cylinder height: 3.270 mm

Total height of tank: 5.950 mm

SKU: 390467

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single-skin

Max. Service Temperature: 100 °C

Mobile Tank: No, it is not.

Övrig information: chemistry; 1 tank with a dent in the cylindrical part as well as in the fan guard of the agitator motor; some residues of previous content; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 8000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 3.270 mm

Internal diameter: 1.658 mm

Total Height: 5.950 mm

Stirrer

Power (kW): 9.9 / 16

Speed (RPM): 45 / 90

**Tjocklek på tank**

Bottom: 5 mm

Cylinder: 5 mm

Mer

Isolated: No