

80000 liters tank in Stainless 304





308 000 SEK /st exkl moms

Additional information: Yoghurt tank in a dairy; Double-chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; manhole approx. 410 x 510 mm; upper bottom of tank leaking in one place

Volumetric volume (L): 80.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,20 Bar

Min. pressure (Bar): 0,50 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: 80

Agitator: yes

Internal diameter tank: 3.200 mm

Outer diameter tank: 3.300 mm

SKU: 433625



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated

Max. Service Temperature: 50 °C

Mobile Tank: No, it is not.

Övrig information: Yoghurt tank in a dairy; Double chamber tank (2 x 40,000 liters); cylinder height 2 x 4600 mm; Manhole approx. 410 x 510 mm; upper tank in the upper bottom leaking;

Ready for collection from around

Additional Information2: the end of July; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 0,20 bar

Complete Drainage: Yes

Vacuum Pressure: 0,50 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 80000

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Internal diameter: 3.200 mm

Outer diameter: 3.300 mm

Mer

Isolated: Yes