820 liter tank in Acid-proof 316

98 000 SEK /st exkl moms

Additional information: Pharmacy
Volumetric volume (L): 820 L
Pressure in tank: pressure and vacuum
Max. pressure (Bar): 3 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 160 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Max Overpressure: 3 Bar
Max onderdruk: 1 Bar

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: in the bottom

Outlet of tank: DN32 DIN 11851
Agitator: yes
Number of revolutions: 149 - 1040
Power: 0,37
Top: 4,70 mm

Cylinder: 4 mm
Bottom: 2,70 mm
Internal diameter tank: 1.000 mm
Cylinder height: 750 mm
Total height of tank: 2.320 mm

SKU: 404519

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer information

Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: single-skin
Max. Service Temperature: 160 °C
Mobile Tank: No, it is not.
Övrig information: pharmacy; we can't give any guarantees about the agitator
Agitator: Yes
Overpressure: 3 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: No
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 820

Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Tank Dimensions
Cylinder Height: 750 mm
Internal diameter: 1.000 mm
Total Height: 2,320 mm

Stirrer
Power (kW): 0,37
Speed (RPM): 149 – 1040

Tjocklek på tank
Bottom: 2.70 mm
Cylinder: 4 mm
Top: 4,70 mm

Mer
Isolated: No

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor