

8550 liter tank in Acid-proof 316



270 000 SEK /st exkl moms

Additional information: Pharmaceutical Chemistry; Support brackets made of Fe; flanges partly made of Fe

Volumetric volume (L): 8.550 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 3,20 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 160 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 200 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN150

Agitator: yes

Number of revolutions: 8.5 - 51

Power: 15

Top: 10 mm

Cylinder: 8 mm

Bottom: 8 mm

Internal diameter tank: 2.000 mm

Cylinder height: 2.200 mm

Total height of tank: 5.200 mm

Empty weight tank: 1.200

SKU: 487136

Mer information

Product Description

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Pharmaceutical Chemistry; Support brackets made of Fe; flanges partly made of Fe; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3,20 bar

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Volume in liters: 8550

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Tank Dimensions

Cylinder Height: 2,200 mm

Internal diameter: 2,000 mm

Total Height: 5.200 mm

**Stirrer**

Power (kW): 15

Speed (RPM): 8.5 – 51

Tjocklek på tank

Bottom: 8 mm

Cylinder: 8 mm

Top: 10 mm

Mer

Isolated: No

Weight: 1.200