

8651 liter tank in Stainless 304



199 000 SEK /st exkl moms

Additional information: Support ring made of Fe; manhole diameter approx. 480 mm; total height incl. agitator gearbox (without gearbox approx. 3500 mm); ; motor is missing; manhole cover plated

Volumetric volume (L): 8.651 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar



Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 313 L

Max Overpressure: 20 Bar

Max onderdruk: 1 Bar

Max. working temperature: 220 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 105

Agitator: yes

Number of revolutions: 26.5 / 118

Power: 5 / 15

Top: 14 mm

Cylinder: 8 mm

Bottom: 10 mm

Internal diameter tank: 2.000 mm

Total height of tank: 4.550 mm

SKU: 421379



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single jacketed with heat-exchanger

Max. Service Temperature: 200 °C

Mobile Tank: No, it is not.

Övrig information: Chemistry; Support ring, Fe; Manhole diameter appr. 480 mm; Total height including agitator gear (without gear approx. 3500 mm); slight pitting inside the vessel; motor is missing; manhole cover

Additional Information2: plated; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 6 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 8651

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Internal diameter: 2,000 mm

Total Height: 4,550 mm

Stirrer

Power (kW): 5 / 15

Speed (RPM): 26.5 / 118

Tjocklek på tank

Bottom: 10 mm

Cylinder: 8 mm

Top: 14mm

Mer

Isolated: No