

870 liter tank in 304 stainless steel



65 000 SEK /st exkl moms

Article type: second-hand

Additional information: manway 265mm x500mm

Volumetric volume (L): 870 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no



Top type: flat

Shape of tank: cylindrical

Bottom type: flat

Total discharge: yes

Fixation points: 3 non adjustable feet

Type of HE on the cylinder: dimple-jacket

Position HE: the lower part of the cylinder

Height HE: 580 mm

Water pressure HE: 2 Bar

Type of HE on the bottom: dimple-jacket

Water pressure HE: 2 Bar

Heat exchanger: RVS 304

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Hinged lid: yes

Tank outlet: inside Ø 40 mm

Total outlet valve: no

Agitator: no, optional

Top: 5 mm

Cylinder: 4 mm

Bottom: 4 mm

Tank capacity top cylinder: 850 L

Internal diameter tank: 980 mm

Distance from outlet to ground: 400 mm

Outer diameter tank: 1.070 mm

Cylinder height: 1.150 mm

Total height of tank: 1.850 mm

SKU: 386468

Mer information

Product Description

Food-grade: Yes

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: single jacketed with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: manway 265mm x500mm

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: flat

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 870



Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: Yes

Food-grade: Yes

Tank Outlet: inside Ø 40 mm

Technical Drawing Available: No, it is not.

Outlet Valve: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Tank Dimensions

Cylinder Height: 1.150 mm

Internal diameter: 980 mm

Outlet Height to Ground: 400 mm

Total Height: 1.850 mm

Outer diameter: 1,070 mm

Heat exchangers

Height of heat exchanger: 580 mm

Position värmeväxlare: the lower part of the cylinder

Type of Heat Exchanger on Cylinder: dimple jacket

Bottom Heat Exchanger Type: dimple jacket

Water Pressure Heat Exchanger: 2 bars

Water Pressure Heat Exchanger Bottom: 2 bars

Tjocklek på tank

Bottom: 4 mm

Cylinder: 4 mm

Top: 5 mm



Mer

Heat Exchanger: RVS 304

Isolated: No