

885 liter tank in Acid-proof 316



163 000 SEK /st exkl moms

Additional information: At the previous operator, the vessels were suspended in a ring with load cells, which was embedded in the floor (1 ring each is included in the scope of delivery; see photos); outer diameter in the ring approx. 1,540 mm; insulating jacket made of material 1.0425

Volumetric volume (L): 885 L

Pressure in tank: pressure and vacuum



Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 130 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 35 L

Max Overpressure: 6 Bar

Max onderdruk: 1 Bar

Max. working temperature: 140 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: 55

Agitator: yes

Number of revolutions: 416

Power: 0,55

Cylinder: 6 mm

Bottom: 4,50 mm

Internal diameter tank: 1.000 mm

Cylinder height: 864 mm

SKU: 443390-1



Mer information

Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: insulated with heat-exchanger

Max. Service Temperature: 130 °C

Mobile Tank: No, it is not.

Övrig information: Pharmacy; The previous operator had the vessels hanging in a ring with load cells that was embedded in the ground (1 ring of each is included in the delivery; see photos);

Outer diameter in the ring

Additional Information2: approx. 1,540 mm; insulating jacket made of material 1.0425; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Overpressure: 3 bars

Complete Drainage: Yes

Vacuum Pressure: 1 bar

Pressure Vessel: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 885

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.



Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 864 mm

Internal diameter: 1.000 mm

Stirrer

Power (kW): 0,55

Speed (RPM): 416

Tjocklek på tank

Bottom: 4,50 mm

Cylinder: 6 mm

Mer

Isolated: Yes