# 8890 liters tank in Acid-proof 316

545 000 SEK /st exkl moms

**Additional information**: Apparatus was manufactured for a global pharmaceutical company but never put into operation there; diameter of spout (fitting) approx. 44 mm
**Volumetric volume (L)**: 8.890 L
**Pressure in tank**: pressure and vacuum
**Max. pressure (Bar)**: 6 Bar

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Min. pressure (Bar)**: 1 Bar

**Max. temperature (°C)**: 150 °C
**Material wet parts**: SS AISI 316 (V4A)
**Model**: vertical
**Configuration**: insulated
**Heat exchanger**: no

**Insulation**: yes
**Mobile tank**: no
**Total discharge**: no
**Volume**: 143 L
**Max Overpressure**: 10 Bar

**Max onderdruk**: 1 Bar
**Max. working temperature**: 150 °C
**Type HE on the cylinder**: half pipe welded onto the outside of the innertank
**Documents included**: no
**Technical drawing included**: no

**Registration plate on the tank**: yes
**Flange for agitator**: no
**Position of manway**: headside
**Top**: 12,50 mm
**Cylinder**: 7,60 mm

**Bottom**: 9,50 mm
**Internal diameter tank**: 2.200 mm
**Outer diameter tank**: 2.400 mm
**Total height of tank**: 4.000 mm

**SKU:** 441419



Rodervägen 57
891 78 Bonässund
info@processoverskott.se

# Mer information

## Product Description

Material: Acid-resistant 316
Model: Vertical
New / Used: Used
Operating Pressure in Tank: pressure and vacuum
Configuration: insulated with heat-exchanger
Max. Service Temperature: 150 °C
Mobile Tank: No, it is not.
Övrig information: Tank was manufactured for a global pharmaceutical company but was never put into operation; Diameter of outlet (fitting) approx. 44 mm; we can't give any guarantees about the heating/cooling jacket
Additional Information2: jacket
Agitator: No
Overpressure: 6 bars
Complete Drainage: Yes
Vacuum Pressure: 1 bar
Pressure Vessel: Yes
Heating / Cooling: Yes
Contact Surface: SS AISI 316 (V4A)
Volume in liters: 8890

## Equipment

Product Dokument finns: No, it is not.
Agitator flange: No
Nameplate: Yes
Technical Drawing Available: No, it is not.

## Material Overview

Material: Acid-resistant 316

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

**Tank Dimensions**
Internal diameter: 2,200 mm
Total Height: 4,000 mm
Outer diameter: 2,400 mm

**Tjocklek på tank**
Bottom: 9,50 mm
Cylinder: 7,60 mm
Top: 12,50 mm

**Mer**
Isolated: Yes

**PROCESSÖVERSKOTT AB**

Rodervägen 57
891 78 Bonässund
info@processoverskott.se