

900 liter tank in stainless steel 304



64 000 SEK /st exkl moms

Additional information: Dairy; Dents in the lower bottom of the inner tank (overpressure double jacket); 2 feet slightly bent; slight metallic discoloration inside the tank

Volumetric volume (L): 900 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 400

Power: 0,37

Internal diameter tank: 950 mm

Outer diameter tank: 1.100 mm

Cylinder height: 1.280 mm

Total height of tank: 2.700 mm

SKU: 422519

Mer information



Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated with heat-exchanger

Mobile Tank: No, it is not.

Övrig information: Dairy; Dents in the lower bottom of the inner tank (overpressure double jacket); 2 feet slightly bent; slight metallic discoloration inside the tank; we can't give any guarantees about the

Additional Information2: heating/cooling jacket; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: Yes

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 900

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: No, it is not.

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Tank Dimensions

Cylinder Height: 1,280 mm

Internal diameter: 950 mm

Total Height: 2,700 mm

Outer diameter: 1.100 mm



Stirrer

Power (kW): 0,37

Speed (RPM): 400

Mer

Isolated: Yes