

9000 liters tank in stainless steel 304



82 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 9.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: conical



Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 adjustable feet

Insulation material: Rockwool

Outer jacket (ornamental wall): RVS 304

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 480 mm

Tank outlet: inside Ø 80 mm

Agitator: no, optional

Internal diameter tank: 2.280 mm

Outer diameter tank: 2.480 mm

Cylinder height: 2.250 mm

Total height of tank: 4.100 mm

Empty weight tank: 950

SKU: 475108



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Mobile Tank: No, it is not.

Agitator: No

Tank Shape: cylindrical

Complete Drainage: Yes

Bottom Type: conical

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 9000

Equipment

Product Dokument finns: No

Agitator flange: No

Nameplate: No, it is not.

Tank Outlet: inside Ø 80 mm

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304

Fixing point(s): RVS 304

Insulation material: Rockwool

Exterior cladding: RVS 304

Tank Dimensions

Cylinder Height: 2,250 mm

Internal diameter: 2,280 mm

Total Height: 4.100 mm

Outer diameter: 2,480 mm

Outer Cladding and Insulation Thickness

Insulation material: Rockwool

Mer

Isolated: Yes

Weight: 950
