

9200 liter tank in Acid-proof 316



150 000 SEK /st exkl moms

Additional information: Cip tank (lye) in the cosmetics industry; 1 fitting flanged to the outlet; Metallic discolouration inside

Volumetric volume (L): 9.200 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes



Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN80

Agitator: yes

Internal diameter tank: 2.300 mm

Outer diameter tank: 2.400 mm

Cylinder height: 2.000 mm

Total height of tank: 3.200 mm

Empty weight tank: 1.000

SKU: 430766

Mer information



Product Description

Material: Acid-resistant 316

Model: Vertical

New / Used: Used

Operating Pressure in Tank: ATM – atmospheric

Configuration: insulated

Max. Service Temperature: 80 °C

Mobile Tank: No, it is not.

Övrig information: Cip tank (lye) in the cosmetics industry; 1 fitting flanged to the outlet; Metallic discolouration inside; we can't give any guarantees about the agitator

Agitator: Yes

Complete Drainage: Yes

Heating / Cooling: No

Contact Surface: SS AISI 316 (V4A)

Volume in liters: 9200

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Acid-resistant 316

Tank Dimensions

Cylinder Height: 2,000 mm

Internal diameter: 2,300 mm

Total Height: 3.200 mm

Outer diameter: 2,400 mm



Mer

Isolated: Yes

Weight: 1.000
