

930 liter stainless steel 304 tank



19 000 SEK /st exkl moms

Additional information: 2 different dome cover variants: Milk pipe screw connection (125mm handhole cover) or opening by bayonet punch (400mm manhole) (drawing available)

Special tools are required to open the hand and manholes.

On request, we will be happy to put you in touch with the relevant manufacturers or assist you with



procurement.

Volumetric volume (L): 930 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 1 Bar

Min. pressure (Bar): 0,40 Bar

Max. temperature (°C): 130 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Top: 2.50 mm

Cylinder: 2 mm

Bottom: 2.50 mm

Internal diameter tank: 1,000 mm

Cylinder height: 940 mm

Total height of tank: 1.760 mm

SKU: 564085



Mer information

Product Description

Material: Stainless steel 304

Model: Vertical

New / Used: Used

Operating Pressure in Tank: pressure and vacuum

Configuration: single-skin

Max. Service Temperature: 130 °C

Mobile Tank: No, it is not.

Övrig information: 2 different dome cover variants: Milk pipe screw connection (125mm handhole cover) or opening by bayonet punch (400mm manhole) (drawing available) Special tools are required to open the hand and

Additional Information2: manholes. On request, we will be happy to put you in touch with the relevant manufacturers or assist you with procurement.

Agitator: No

Overpressure: 1 bar

Complete Drainage: Yes

Vacuum Pressure: 0,40 bar

Pressure Vessel: Yes

Heating / Cooling: No

Contact Surface: SS AISI 304 (V2A)

Volume in liters: 930

Equipment

Product Dokument finns: No, it is not.

Agitator flange: No

Nameplate: Yes

Technical Drawing Available: No, it is not.

Material Overview

Material: Stainless steel 304



Tank Dimensions

Cylinder Height: 940 mm

Internal diameter: 1.000 mm

Total Height: 1.760 mm

Tjocklek på tank

Bottom: 2,50 mm

Cylinder: 2 mm

Top: 2,50 mm

Mer

Isolated: No